TECNOMIX





TECNOMIX 400

ADDITIONAL WHEELS ON TOP FOR EASIER LOADING ON TRUCKS







EASY DISASSEMBLY OF THE BLADE UNIT BY REVERSING THE ROTATION

| MODELLO . TYPE | 130 | 400 | |
|---------------------|-------------------|-----------------|--|
| Drum capacity | 4.6 cu/ft | 14.1 cu/ft | |
| Actual output | 3.5 cu/ft | 9.9 cu/ft | |
| Tank diameter | 27.6 in | 39.4 in | |
| RPM paddle | 32 rpm | 32 rpm | |
| Machine weight | 220 lbs | 772 lbs | |
| Wheel size or model | 9.8 in | 13.5 in / R13 | |
| Power engine | 2.5 hp | 5.5 hp | |
| Length | 31.9 in | 61 in | |
| Width | 30.3 in | 51.2 in | |
| Height | 47.6 in (40.6 in) | 61 in (48.4 in) | |

PLANETARY MIXER FOR PREMIXED MORTARS AND TRADITIONAL MORTARS

ROTO18



CONTINUOUS CYCLE MIXER



RRF - ISA





| TECHNICAL SPECIFICATION | | | | | |
|-------------------------|-------|---------|---------|---------|--|
| TYPE | | BRF 250 | BRF 300 | BRF 350 | |
| Power electric motor | hp | 1,5 | 2 | 2 | |
| Power gasoline motor | hp | 5 | 6 | 6 | |
| Power diesel motor | hp | 6 | 6 | 6 | |
| Batch capacity | eu ft | 9 | 10,5 | 12 | |
| Batch output | eu ft | 6 | 7,5 | 9,5 | |
| Turn of the drum | rpm | 24 | 24 | 24 | |
| Lenght | in | 73 | 76 | 76 | |
| Widht | in | 35 | 37 | 37 | |
| Height | in | 53 | 54 | 54 | |
| Total weight | ibs | 370 | 620 | 650 | |



